









#### **INTENSIVE CARE UNIT BED LH-0100**

- · Overall Size 2160 L x 1015 W x 550 to 750 H mm.
- · Suitable for Mattress size: 1980 Lx 900 W mm.
- · Top of CRCA sheet perforated uniformly.
- · Base and mainframe work of precise mild steel tubes.
- Base mounted on 125 mm dia. swivel castors, with two brakes.
- · Stainless steel bows with laminated panels.

- Backrest, Knee rest, Trendelenburg / Rev. Trendelenburg & Hi-Low is Electrically Operated with Remote.
- · A pair of new design collapsible railing.
- · SS telescopic IV Rod with four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.



#### **INTENSIVE CARE UNIT BED LH-0101**

- · Overall Size 2160 L x 1015 W x 550 to 750 H mm.
- · Suitable for Mattress size: 1980 Lx900 W mm.
- Top of CRCA sheet perforated uniformly.
- · Base and mainframe work of precise mild steel tubes.
- Base mounted on 125 mm dia. swivel castors, with two brakes.
- · Stainless steel bows with laminated panels.

- Backrest, Knee rest, Trendelenburg / Rev. Trendelenburg & Hi-Low operated by crank mechanism with folding handle.
- · A pair of new design collapsible railing.
- · SS telescopic IV Rod with four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.









### **INTENSIVE CARE UNIT BED LH-0102**

- · Overall Size 2120 Lx 950 Wx 550 to 750 H mm.
- · Suitable for Mattress size: 1980 Lx 900 W mm.
- Top of CRCA sheet perforated uniformly.
- · Base and mainframe work of precise mild steel tubes.
- Base mounted on 125 mm dia. swivel castors, with two brakes.
- · Four pieces individual side rails ABS Moulded.

- Backrest, Knee rest, Trendelenburg / Rev. Trendelenburg & Hi-Low is Electrically Operated with Remote.
- · ABS Moulded Head and Foot Board with locking.
- · SS telescopic IV Rod with four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.



## **INTENSIVE CARE UNIT BED LH-0103**

- · Overall Size 2120 L x 950 W x 550 to 750 H mm.
- · Suitable for Mattress size: 1980 L x 900 W mm.
- · Top of CRCA sheet perforated uniformly.
- · Base and mainframe work of precise mild steel tubes.
- Base mounted on 125 mm dia. swivel castors, with two brakes.
- · Four pieces individual side rails ABS Moulded.
- Backrest, Knee rest, Trendelenburg / Rev. Trendelenburg & Hi-Low operated by crank mechanism with folding handle.
- $\cdot \quad ABS\,Moulded\,Head\,and\,Foot\,Board\,with\,locking.$
- · SS telescopic IV Rod with four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.









### **INTENSIVE CARE UNIT BED LH-0104**

- · Overall Size 2120 L x 950 W x 550 to 750 H mm.
- · Suitable for Mattress size: 1980 L x 900 W mm.
- Top of CRCA sheet perforated uniformly.
- · Base and mainframe work of precise mild steel tubes.
- Base mounted on 125 mm dia. swivel castors, with two brakes.
- · A pair of new design collapsible railing.

- Backrest, Knee rest, Trendelenburg / Rev. Trendelenburg & Hi-Low operated by crank mechanism with folding handle.
- · ABS Moulded Head and Foot Board with locking.
- · SS telescopic IV Rod with four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.



### **INTENSIVE CARE UNIT BED LH-0202**

- · Overall Size 2120 L x 950 W x 560 to 760 H mm.
- · Suitable for Mattress size: 1980 L x 900 W mm.
- Four section top made of CRCA sheet uniformly perforated with latest parallel beam type surface.
- Backrest, Knee rest, Trendelenburg / Rev.
   Trendelenburg & Hi-Low is Electrically Operated with Remote.
- Bed consisting of Battery backup, Nursing Control Panel & CPR Function.

- · Base frame made of precise mild steel tubes with centre area covered with MS sheet.
- Base mounted on 125 mm dia. swivel castors, with two brakes.
- · ABS mounted Head and Foot Boards with locking.
- · Four pieces individual side rails ABS moulded.
- $\cdot \;\;$  SS telescopic IV Rod with four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.









## **INTENSIVE CARE UNIT BED** [ELECTRIC WITH REMOTE CONTROL] LH-0200

- Overall Size 2120 L x 950 W x 560 to 760 H mm.
- Suitable for Mattress size: 1980 L x 900 W mm.
- Four section top made of CRCA sheet uniformly perforated with latest parallel beam type surface.
- Backrest, Knee rest, Trendelenburg / Rev. Trendelenburg & Hi-Low is Electrically Operated with Remote.
- Bed Consisting of Battery backup, Nursing Control Panel, CPR Function & Covered Base.

- Base framework of precise mild steel tubes.
- Base mounted on 125 mm dia. swivel castors, with center locking break system.
- ABS Moulded Head and Foot Boards with locking.
- Four pieces individual Side rails ABS Moulded.
- SS telescopic IV Rod with four locations.
- Holder for Urine Bag.
- Finish in epoxy powder coated.









- Overall Size: 2070 L x 940 W x 600 H mm.
- · Suitable for Mattress size: 1980 Lx 900 W mm.
- · Four section top of uniformly perforated CRCA sheet.
- · Backrest and Knee rest section maneuvered by two crank mechanism with folding handle.
- · Laminated panel fitted with SS bows.
- · Legs H type fitted with 100 mm dia. swivel castors with two brakes.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.



- · Overall Size: 2120 L x 950 W x 600 H mm.
- · Suitable for Mattress size: 1980 Lx900 W mm.
- · Four section top of uniformly perforated CRCA sheet.
- · Backrest and Knee rest section maneuvered by two crank mechanism with folding handle.
- · ABS Moulded Head and Foot Boards with locking.
- Legs H type fitted with 100 mm dia. swivel castors with two brakes.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.









- Overall Size: 2120 L x 950 W x 560 H mm.
- · Suitable for Mattress size: 1980 L x 900 W mm.
- Four section top made of CRCA sheet uniformly perforated with latest parallel beam type surface.
- Backrest and Knee rest is Electrically Operated with Remote.
- · ABS Moulded Head and Food Boards with locking.
- · Bed fitter with H type legs mounted on 100mm dia. swivel castors, with two brakes.
- $\cdot$   $\;$  Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.



- · Overall Size: 2120 L x 950 W x 560 H mm.
- · Suitable for Mattress size: 1980 L x 900 W mm.
- Four section top made of CRCA sheet uniformly perforated with latest parallel beam type surface.
- Backrest and Knee rest section maneuvred by two crank mechanism with ABS folding Handle.
- · ABS moulded Head and Foot Boards with locking.
- Bed fitter with H type legs mounted on 100mm dia. swivel castors, with two brakes.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.












- · Overall Size: 2120 L x 950 W x 560 to 760 H mm.
- · Suitable for Mattress size: 1980 L x 900 W mm.
- $\cdot$   $\;$  Four section top of uniformly perforated CRCA sheet.
- Backrest and Knee rest is Electrically Operated with Remote.
- · ABS Moulded Head and Food Boards with locking.
- Legs H type fitted with 100 mm dia, swivel castors with two brakes.
- · Provision for saline rod and four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.









- Overall Size: 2050 L x 910 W x 600 H mm.
- Suitable for Mattress size: L 1980 x W 900 mm.
- Four section top of uniformly perforated CRCA sheet.
- Backrest and Knee rest section maneuvred by crank mechanism with folding Handle.
- Tubular head and foot bows of unequal height mounted on 100 mm dia. swivel castors with two brakes.
- Provision for saline rod at four locations.
- Holder for Urine Bag.
- Finish in epoxy powder coated.



- Overall Size: 2070 Lx 940 Wx 600 H mm.
- Suitable for Mattress size: L 1980 x W 900 mm.
- Four section top of uniformly perforated CRCA sheet.
- Backrest section maneuvred by crank mechanism with folding Handle.
- Provision for saline rod at four locations.

- Mild Steel Tubular head and foot bows of unequal
- Legs H type fitted with 100 mm dia, swivel castors with two brakes.
- Holder for Urine Bag.
- Finish in epoxy powder coated.









- Overall Size: 2070 L x 940 W x 600 H mm.
- · Suitable for Mattress size: L 1980 x W 900 mm.
- · Two section top of uniformly perforated CRCA sheet.
- · Backrest section maneuvred by crank mechanism with folding Handle.
- · Laminated panel fitted with SS bows.

- Legs H type fitted with 100 mm dia, swivel castors with two brakes.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.



- · Overall Size: 2120 L x 950 W x 600 H mm.
- Suitable for Mattress size : L 1980 x W 900 mm.
- $\cdot \quad \text{Two section top of uniformly perforated CRCA sheet}.$
- · Backrest section maneuvred by crank mechanism with folding Handle.
- · ABS moulded Head and Foot Boards with locking.
- · Legs H type fitted with 100 mm dia, swivel castors with two brakes.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.











- Overall Size: 2120 L x 950 W x 560 H mm.
- · Suitable for Mattress size: L 1980 x W 910 mm.
- Two section top made of CRCA sheet uniformly perforated with latest parallel beam type surface.
- · Backrest is Electrically operated with Remote.

- · ABS Moulded Head and Foot Boards with locking.
- Legs H type fitted with 100 mm dia. swivel castors with two brakes.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.



- · Overall Size: 2120 L x 950 W x 560 H mm.
- · Suitable for Mattress size: L 1980 x W 910 mm.
- Two section top made of CRCA sheet uniformly perforated with latest parallel beam type surface.
- Backrest section maneuvred by crank mechanism with ABS folding Handle.
- · ABS Moulded Head and Foot Boards with locking.
- Legs H type fitted with 100 mm dia. swivel castors with two brakes.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.











- Overall Size: 2150 L x 950 W x 600 H mm.
- · Suitable for Mattress size: L1980 x W 900 mm.
- · Two section top of uniformly perforated CRCA sheet.
- · Backrest is electrically operated with remote.
- $\cdot \quad ABS\,Moulded\,Head\,and\,Foot\,boards\,with\,locking.$
- · Legs H type fitted with 100 mm dia. swivel castors with two brakes.
- · Provision for saline rod at four location.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.









- Overall Size: 2050 Lx 910 W x 600 H mm.
- · Suitable for Mattress size: L 1980 x W 900 mm.
- · Two section top of uniformly perforated CRCA sheet.
- · Backrest section maneuvered by crank mechanism with folding handle.
- · Tubular head and foot bows of unequal height mounted on PVC stump.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.



- · Overall Size: 2070 L x 940 W x 600 H mm.
- · Suitable for Mattress size: L 1980 x W 900 mm.
- $\cdot \quad \text{Two section top of uniformly perforated CRCA sheet}.$
- Backrest section maneuvered by crank mechanism with folding handle.
- · Mild Steel Tubular head and foot bows of unequal height.
- $\cdot \quad Legs\,H\,type\,mounted\,on\,PVC\,stumps.$
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- $\cdot \quad \text{Finish in epoxy powder coated.}$









- Overall Size: 2050 L x 910 W x 600 H mm.
- · Suitable for Mattress size: L 1980 x W 900 mm.
- · Tubular head and foot bows of unequal height mounted on PVC stump.
- · Plain top of uniformly perforated CRCA sheet.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.



## **HOME CARE BED LH-0703**

- · Overall Size: 2050 L x 910 W x 600 H mm.
- · Suitable for Mattress size: L 1980 x W 900 mm.
- Two section top of uniformly perforated CRCA sheet.
- · Backrest section maneuvred by crank mechanism with folding handle.
- · Tubular head and foot bows of unequal height mounted on PVC stump.
- · Provision for saline rod at four locations.
- · Holder for Urine Bag.
- · Finish in epoxy powder coated.









### **ATTENDANT BED LH-1000**

- · Size: 1870 L x 600 W x 450 H mm.
- · Main frame of rectangular pipe.
- · Plain top of uniformly perforated CRCA sheet.
- · Having equal height legs on PVC stumps.
- · Finish in epoxy powder coated.



## **ATTENDANT BED LH-1004**

- · Size: 1830 L x 600 W x 450 H mm.
- · Main frame of rectangular pipe.
- · Fixed top surface on plywood with padded foam covered with Rexene.
- · Having H type legs on rubber stumps.
- · Finish in epoxy powder coated.











## PEDIATRIC BED LH-1300

- · Size: 1370 L x 760 W x 600 H mm.
- · Top of perforated CRCA sheet.
- · Main frame of rectangular MS pipe.

- · Full length drop side railing
- · Bows of equal height mounted on PVC stump.
- · Finish in epoxy powder coated.



### **ATTENDANT CHAIR CUM BED LH-1001**

- · MS Tubular frame work mounted on PVC stumps.
- · Sleeping size: 1840 L x 500 W x 370 Hmm.
- · Folded size: 630 L x 810 W x 610 H mm.

- · Top is upholstered and covered with water proof synthetic material.
- · Finish is epoxy powder coated.









### **BED SIDE LH-1400**

- · Size: 400 mm Square x 820 H mm.
- Locker machine pressed from CRCA sheet with three sides
- · Front laminated drawers and door.
- Top made in heat and stain resistance laminated / SS top.
- Mounted on two  $50\,\mathrm{mm}$  dia. swivel castors & two legs on PVC stumps.
- · Finish in epoxy powder coated.



#### **BED SIDE LH-1600**

- · Size: 400 mm Square x 820 H mm.
- · Machine pressed MS sheet box with door.
- · Tubular legs mounted on PVC stumps.
- · Stainless steel Top with three side raise edges.
- · Finish in epoxy powder coated.



### **BED SIDE LOCKER LH-1500**

- · Size: 400 mm Square x 820 H mm.
- · Locker machine pressed from CRCA sheet with three sides closed.
- · Having mild steel one box and a drawer.
- · Stainless Steel Top.
- Mounted on two 50 mm dia. swivel castors & two legs on PVC stumps.
- · Finish in epoxy powder coated.



### **BED SIDE LOCKER LH-1501**

- · Size: 400 mm Square x 820 H mm.
- · Locker machine pressed from Stainless sheet with three sides closed.
- · Having stainless steel one box and a drawer.
- · Stainless Steel Top with side raised edges.
- Mounted on two 50 mm dia. swivel castors & two legs on PVC stumps.
- · Dull finish.











### **OVER BED TABLE LH-1700**

- Laminated board top size: 760 x 400.
- Tubular MS framework mounted on four 50 mm dia. swivel castors.
- · Height adjustable manually.
- · Finish in epoxy powder coated.



## **OVER BED TABLE LH-1703**

- Laminated board top in two section size: 820 Lx 360 W mm.
- Tubular MS framework mounted on four swivel castors 50 mm dia.
- · Height adjustable by means of a gas spring.
- · Railing on side section.
- · Finish in epoxy powder coated.



### **OVER BED TABLE LH-1702**

- Laminated board top in two section size:  $820 L \times 360$  W mm.
- Tubular MS framework mounted on four swivel castors 50 mm dia.
- · Height adjustable by means of a geared handle.
- · Finish in epoxy powder coated.



## OVER BED TABLE / CARDIAC TABLE LH-1800

- Overall Size: 1060 L x 400 W x 1000H mm.
- · Tubular MS framework.
- · Laminated top size 850 x 400 mm.
- · Mounted on four 50 mm dia. swivel castors.
- · Finish in epoxy powder coated.











## FOOT STEP LH-1900

- · Size: 460 L x 510 W x 460 H mm.
- · Tubular MS framework mounted on PVC shoes.
- Two step with rubber mat surrounded by aluminium angle on plywood.
- · Finish in epoxy powder coated.



### FOOT STEP LH-1901

- · Size: 460 L x 510 W x 460 H mm.
- Tubular Stainless steel framework mounted on PVC shoes.
- Two step with rubber mat surrounded by aluminium angle on plywood.
- · Dull finish.





### FOOT STEP LH-2000

- · Size: 460 L x 250 W x 230 H mm.
- · Tubular MS framework mounted on PVC shoes.
- · Single step with rubber mat surrounded by aluminium angle on plywood.
- · Finish in epoxy powder coated.

### FOOT STEP LH-2001

- Size: 460 L x 250 W x 230 H mm.
- Tubular Stainless Steel framework mounted on PVC shoes.
- Single step with rubber mat surrounded by aluminium angle on plywood.
- · Dull finish.









### WARD SCREEN LH-2100

- · Size: 1680 H x 2450 W mm.
- · MS tubular steel construction in four fold.
- · Legs mounted on eight swivel castors 50mm dia.
- · Supplied with hook and spring for fixing curtain.
- · Finish in epoxy powder coated.



### **BABY BASSINETTE LH-2300**

- · Size for stand: 800 L x 450 W x 790 H mm.
- · Acrylic basket size: 700 x 350 mm.
- MS Tubing framework.
- · Stand consisting of one shelf laminated.
- · Stand mounted on four swivel castors.
- · Finish in epoxy powder coated.



#### WARD SCREEN LH-2200

- · Size: 1680 H x 2450 W mm.
- · MS tubular steel construction in three sections.
- · Legs mounted on six swivel castors 50mm dia.
- · Supplied with hook and spring for fixing curtain
- · Finish in epoxy powder coated.



### **BABY CRIB ON STAND LH-2400**

- · MS Tubing framework.
- · Wire mesh hanging cradle.
- · Stand mounted on PVC stumps.
- · Finish in epoxy powder coated.











## KICK BUCKET LH-2500

- · Mainly made of mild Steel tubular framework.
- Mounted on three 100mm dia swivel castors with SS bowl.
- · Finish in epoxy powder coated.



## KICK BUCKET LH-2504

- · Mainly made of mild Steel tubular frame.
- · Base mounted on five 50mm dia. swivel castors.
- · Supply with SS bucket with cover.
- Finish in epoxy powder coated.



## KICK BUCKET LH-2501

- · Mainly made of Stainless Steel tubular framework.
- Mounted on three 100mm dia swivel castors with SS bowl.
- · Dull finish.



### KICK BUCKET LH-2503

- · Mainly made of Stainless Steel tubular frame.
- · Base mounted on five 50mm dia. swivel castors.
- · Supply with SS bucket with cover.
- · Dull finish.











- Plastic base.
- · Cushioned seat and back.
- · Adjustment of height by an accurate gas spring.
- · Finish in epoxy powder coated.



## **REVOLVING STOOL LH-2700**

- · Mild steel tubular base.
- · Four legs base with Stainless steel foot ring.
- · Cushioned seat.
- Adjustment of height by an accurately machined screw.
- · Finish in epoxy powder coated.




### **REVOLVING STOOL LH-2602**

- · Plastic base.
- · Cushioned seat.
- Adjustment of height by an accurately machined screw.
- · Finish in epoxy powder coated.



### **REVOLVING STOOL LH-2701**

- · Mild steel tubular base.
- · Four legs base with mild steel foot ring.
- · Cushioned seat.
- Adjustment of height by an accurately machined screw.
- · Finish in epoxy powder coated.











### **REVOLVING STOOL LH-2800**

- · Mild steel tubular base.
- · Four legs base with Stainless steel foot ring.
- · Top of stainless steel.
- · Adjustment of height by an accurately machined screw.
- · Finish in epoxy powder coated.



### **REVOLVING STOOL LH-2802**

- Mild steel tubular base.
- · Four legs base with mild steel foot ring.
- · Top of stainless steel.
- Adjustment of height by an accurately machined screw.
- · Finish in epoxy powder coated.



### **REVOLVING STOOL LH-2801**

- · Mild steel tubular base.
- · Three legs base with Stainless steel top.
- · Adjustment of height by an accurately machined screw.
- · Finish in epoxy powder coated.



### **REVOLVING STOOL LH-2803**

- · Stainless steel tubular base.
- · Four legs base with Stainless steel foot ring.
- · Top of stainless steel.
- · Adjustment of height by an accurately machined screw.
- · Dull finish.











### **REVOLVING STOOL LH-3000**

- · Size: 300mm sq x height 510 mm.
- · Machine press MS sheet top.
- Frame work made of MS sheet angle legs & channel supported.
- · Mounted on rubber stumps.
- · Finish in epoxy powder coated.



## MAYO'S INSTRUMENT TABLE LH-3600

- · MS Tubing frame work.
- · Height adjustable from 760 to 1270mm.
- · Stainless steel tray Size: 560 x 406mm.
- · Stand mounted on four swivel castors 50mm dia.
- · Finish in epoxy powder coated.



### **VISITOR STOOL LH-3001**

- · Size: 300mm sq x height 510 mm.
- · Machine press stainless steel sheet top.
- · Frame work made of MS sheet angle legs & channel supported.
- · Mounted on rubber stumps.
- · Finish in epoxy powder coated.



## MAYO'S INSTRUMENT TABLE LH-3601

- · Stainless Steel tubing frame work.
- · Height adjustable from 760 to 1270mm.
- · Stainless steel tray Size: 560 x 406mm.
- · Stand mounted on four swivel castors 50mm dia.
- · Dull finish.









# INSTRUMENT TROLLEY LH-3100

- Size: 610 L x 450 W x 810 H mm.
- · MS tubing frame work.
- · Stainless Steel shelves.
- · One stainless steel railing on upper shelf.
- · Trolley mounted on 50 mm dia castors.
- · Finish in epoxy powder coated.



# DRESSING TROLLEY LH-3700

- · Size: 760 L x 510 W x 820 H mm.
- · MS tubing frame work.
- Stainless Steel shelves with SS guard railing on both shelves.
- · Trolley mounted on 10 cm dia. swivel castors with two brakes.
- · Bracket for bowl and bucket.
- · Finish in epoxy powder coated.



## INSTRUMENT TROLLEY LH-3101

- · Size: 610 L x 450 W x 810 H mm.
- · Stainless steel tubing frame work.
- · Stainless Steel shelves.
- · One stainless steel railing on upper shelf.
- · Trolley mounted on 50 mm dia castors.
- · Dull finish.



## DRESSING TROLLEY LH-3701

- · Size: 760 L x 510 W x 820 H mm.
- · Stainless steel tubing frame work.
- Stainless Steel shelves with SS guard railing on both shelves.
- Trolley mounted on 10 cm dia. swivel castors with two brakes.
- · Bracket for bowl and bucket.
- · Dull finish.









### **MEDICINE TROLLEY LH-3702**

- Size: 760 L x 460 W x 810 H mm.
- · Frame work of square MS tubular.
- Two stainless steel shelves with three side railing on top shelf.
- · Two drawer under the each shelf.
- Legs mounted on 100 mm dia. swivel castors with two brakes.
- · Finish in epoxy powder coated.



## **FOOD TROLLEY LH-3704**

- · Size: 910 L x 510 W x 910 H mm.
- · Stainless steel tubular frame work.
- · Three removable Stainless steel trays.
- Mounted on four 100 mm dia. Swivel castors with two brakes.
- · Dull finish.



### **MEDICINE TROLLEY LH-3706**

- · Size: 760 L x 460 W x 810 H mm.
- · Frame work of square MS tubular.
- · Two stainless steel shelves with three side railing on top shelf.
- · Two drawer under the each shelf.
- Legs mounted on 100 mm dia. swivel castors with two brakes.
- · Finish in epoxy powder coated.



## CURVED INSTRUMENT TROLLEY LH-3108

- Size: 1120 L x 360 W x 810 H mm.
- · Stainless steel tubular frame work.
- · Stainless steel shelves.
- · Trolley mounted on five swivel castors of 50 mm dia.
- · Dull finish.









### **CRASH CART LH-3800**

- · Overall approx. size: 940 L x 490 W x 1530 H mm.
- · Frame work made of Mild steel tube.
- · Two polystyrene boxes each with three drawers.
- Upper drawer with medicine container of different size.
- Three shelves laminated / Stainless Steel with railing.
- · Stainless Steel IV Rod.
- · Cardiac Massage laminated board.
- · Corner Buffer.
- · Detachable plastic bin in six different colors.
- · One cage for oxygen cylinder.
- Trolley mounted on 125 mm dia. Swivel castors two with brakes.
- · Finish in epoxy powder coated.



### **MONITOR TROLLEY LH-3805**

- · Overall approx. size: 800 L x 600 W x 1408 H mm.
- · One drawer at bottom with lock and key.
- Four adjustable mild steel shelves with stainless steel railing.
- · One cage for Oxygen Cylinder.
- · Stainless Steel IV Rod.
- Trolley mounted on 125 mm dia. Swivel castors with two brakes
- · One MCB, Light indicator, Switch & Socket panel.
- · Finish in epoxy powder coated.



### **CRASH CART LH-3801**

- · Overall approx. size: 940 L x 490 W x 1530 H mm.
- · Frame work made of stainless steel tube.
- · Two polystyrene boxes each with three drawers.
- Upper drawer with medicine container of different size.
- Three shelves laminated / Stainless Steel with railing.
- · Stainless Steel IV Rod.
- · Cardiac Massage laminated board.
- · Corner Buffer.
- · Detachable plastic bin in six different colors.
- · One cage for oxygen cylinder.
- Trolley mounted on 125 mm dia. Swivel castors two with brakes.
- · Dull Finish.



#### **ECG TROLLEY LH-3806**

- Size: 460 L x 460 W x 910 H mm.
- Trolley mainly made of mild steel tubing and CRC Sheet.
- Consisting of three shelves made of MS sheet, (bottom, middle and top).
- · Stainless steel guard railing on top.
- · One MS drawer under top shelf & one handle.
- Trolley mounted on 100 mm dia. Swivel castors with two brakes
- · Finish in epoxy powder coated.









## INSTRUMENT CABINET LH-3900

- Size: 1470 H x 610 L x 355 D mm.
- · Mainly made of CRC sheet with three sides closed.
- · Consisting of adjustable four glass shelves.
- · One mild steel door with glass.
- · Door consisting of lock and key.
- · Finish in epoxy powder coated.



# INSTRUMENT CABINET LH-4100

- · Size: 1600 H x 635 L x 430 D mm.
- · Mainly made of CRC sheet with three sides closed.
- · Consisting of adjustable five glass shelves.
- · One mild steel door with glass.
- · Door consisting of lock and key.
- · Finish in epoxy powder coated.



## INSTRUMENT CABINET LH-4000

- · Size: 1650 H x 610 L x 380 D mm.
- · Mainly made of CRC sheet.
- Upper Section with two sliding glass doors and adjustable three glass shelves.
- · Lower section consisting of one shelf and double door with lock & key.
- · Finish in epoxy powder coated.



# INSTRUMENT CABINET LH-4101

- · Size: 900 H x 700 L x 300 D mm.
- · Mainly made of CRC sheet.
- · Wall mount cabinet.
- $\cdot$  Consisting of two metal shelves.
- · Double door with lock & key.
- · Finish in epoxy powder coated.









## WASH BASIN STAND LH-4201

- · Height 84 cm with single SS Bowl 350 mm dia.
- Tubular frame work mounted on plastic base fitted with five 5 cm dia. swivel castors.
- · Bowl support made of MS tubing.
- · Finish in epoxy powder coated.



## WASH BASIN STAND LH-4202

- · Height 84 cm with single SS Bowl 350 mm dia.
- SS tubular frame work mounted on four 50 mm dia. swivel castors.
- Dull finish.



## WASH BASIN STAND LH-4302

- · Height 84 cm with double SS Bowl 350 mm dia.
- Tubular frame work mounted on plastic base fitted with five 5 cm dia, swivel castors.
- · Bowl support made of MS tubing.
- · Finish in epoxy powder coated.



## WASH BASIN STAND LH-4301

- Height 84 cm with double SS Bowl 350 mm dia.
- · Stainless steel tubular frame work mounted four 5 cm swivel castors.
- · Dull finish.









### **SALINE STAND LH-4500**

- Strong MS tubular construction mounted on cast Iron base.
- · Base fitted with four 50mm dia. swivel castors.
- Stainless Steel rod with double hooks height adjustable from approx 1220 to 2340 mm.
- · Finish in epoxy powder coated.



## **SALINE STAND LH-4600**

- · Strong dull finish SS tubular construction mounted on cast Iron base.
- · Base fitted with four 50mm dia. swivel castors.
- Stainless Steel rod with double hooks height adjustable from approx 1220 to 2340 mm.
- · Finish in epoxy powder coated.



### **SALINE STAND LH-4501**

- Strong MS tubular construction mounted on Mild steel base.
- · Base fitted with five 50mm dia, swivel castors.
- · Stainless Steel rod with double hooks height adjustable from approx 1220 to 2340 mm.
- · Finish in epoxy powder coated.



### **SALINE STAND LH-4601**

- Strong Stainless Steel tubular construction mounted on SS tubular base.
- · Base fitted with five 50mm dia, swivel castors.
- Stainless Steel rod with double hooks height adjustable from approx 1220 to 2340 mm.
- · Dull finish.









## SOILED LINEN TROLLEY LH-4800

- Size: 91 H x 81 cm. dia.
- MS Tubular framework fitted with three 10cm. dia swivel castors.
- · Supply with canvas bag.
- · Finish in epoxy powder coated.



## **LINEN TROLLEY LH-4805**

- · Size: 1050 L x 500 W x 900 Hmm.
- · Stainless Steel tubular framework.
- · Push handle at one end.
- · Three SS shelves.
- · One soiled linen bag holder.
- · Fitted with four 100 mm dia. swivel castor with two brakes.
- Dull finish.



## SOILED LINEN TROLLEY LH-4801

- · Size: 91 H x 81 cm. dia.
- MS Tubular framework fitted with three 10cm. dia swivel castors.
- · Supply with canvas bag.
- Dull finish.



# **CARRYING TROLLEY**WIRE MESH LH-4806

- · Size: 1070 L x 760 W x 810 H mm.
- · Wire Mesh construction for open air, see-thru use.
- · All welded construction for long lasting use.
- · Made out of SS wire, Sheets, flats, pipes.
- Trolley fitted with 2-swivel, 2 rigid heavy duty castors.
- · Carrying capacity: From 100 Kgs to 150 Kgs..
- · Dull finish.













### **BACK REST LH-4900**

- · Size:  $890 L \times 740 W \times 150 H mm$  (Ht with mattress).
- · MS Tubular framework.
- · Top uniformly perforated CRC sheet.
- · Back rest adjustable on Electrically Operated with Remote.
- · Supply with foam mattress 150mm thick.
- · Finish in epoxy powder coated.

### **BACK REST LH-5000**

- · Size: 760 L x W 610 mm.
- · MS Tubular framework.
- · Top uniformly perforated CRC sheet.
- · Back rest adjustable on ratchet.
- · Finish in epoxy powder coated.





### **CYLINDER TROLLEY LH-6100**

- · Size: 1060 mm Ht. ('B' type).
- · Tubular MS framework fitted with two wheel, 10 cm dia.
- · Finish in epoxy powder coated.
- · Also in "D" type cylinder 70.6101

### **BURN CAGE LH-5105**

- Overall Size: 860 L x 760 W x 460 H mm.
- · Tubular Stainless Steel frame work.
- · Dull Finish.
- Also in MS tubing 70.5106











## **OPERATION TABLE LH-5200**

- Size: 1880 L x 480 W x 790~1020 H mm.
- · Table top is made of strong MS steel framework with SS sheet top.
- · The whole top can be tilted to trendelenberg and reverse trendelenberg with help of lever handle.
- · Table legs of ERW tubing mounted on 100 mm dia. swivel castors with two brakes.
- · The table is complete with following accessories.
- · SS litholomy rod and anaesthesia screen.
- · SS kidney bridge and arm board.
- · Finish in epoxy powder coated.



## **DELIVERY BED LH-5405**

- Size : Body section approx:1000 L x 770 W x 760 H mm.
- · Leg section approx: 930L x 640 W mm.
- · Bed Labour and delivery mainly made of mild steel.
- · Bed top in two section, body section mounted on PVC stumps and legs section mounted on two castors with brake.
- · Legs section can be completely recessed under the body section Mattress 60mm thick foam covered with rexene.
- · Table consisting of pair lithotomy poles with strip or knee pad & stainless steel bowl arrangement underneath of leg section
- · Finish in epoxy powder coated.











### **OBSTETRIC LABOUR TABLE LH-5400**

- · Size: Overall 1870 L x 680 W x 800 H mm.
- · Table top in three section made of stainless steel on MS tubing.
- · Strong MS steel frame work.
- · Backrest adjustable on ratchet.
- The whole top can be tilted to tredelenberg position with the help of gas spring.
- Conversion is easily and simply performed by sliding the leg section.

- · Table consisting of meddle section "U" cut.
- The table is complete with the following accessories.
- Stainless steel lithotomy rod, hand grip, mattress, saline rod, MS side & head railing, stainless steel how
- · Table mounted on PVC stumps.
- · Finish in epoxy powder coated.



## **OBSTETRIC LABOUR TABLE LH-7600**

- · Size: Overall 1870 L x 680 W x 600 to 800 H mm.
- · Hydraulic Obstetric Labour Table.
- · Three section top of stainless steel.
- · Frame made of strong MS steel work.
- · Backrest adjustable on ratchet.
- The whole top can be tilted to tredelenberg position with the help of lever handle.
- Conversion is easily and simply performed by sliding the leg section.

- · Single action hydraulic mechanism foot operated.
- Heavy base trolley covered MS sheet mounted on wheel 100 mm dia swivel castors.
- The table is complete with the following accessories.
- · Stainless steel lithotomy rod, hand grip, saline rod, mattress, side & head railing, Stainless steel bowl.
- · Finish in epoxy powder coated.











### **GYNE TABLE LH-5401**

- · Size: 1800 L x 560 W x 810 H mm.
- · Construction from MS tubing.
- · Head section and leg section adjustable on ratchet.
- · Top is upholstered and covered with cushion.
- · Complete with stainless steel bowl 35 cm dia. and two adjustable stainless steel lithotomy rods.
- · Finish in epoxy powder coated.



## **EXAMINATION COUCH LH-5501**

- · Size: 1800 L x 560 W x 810 H mm.
- · Constructed from MS tubing.
- · Adjustable head rest. Head flap adjustable on ratchet.
- $\cdot$   $\;$  Top is upholstered and covered with water proof synthetic material.
- · Finish in epoxy powder coated.











## **LABOUR AND DELIVERY BED LH-5402**

- · Labour Bed in two sections.
- · Body section mounted on rubber stumps and leg section on swivel castors with brake.
- · Main frame made of MS tubing.
- Body section size: 1350 L x 920 W x 860 H mm.
- Leg section size : 700 L x 920 W 860 H mm.
- · Complete with Stainless Steel bowl & Lithotomy rod with strip
- Finish in epoxy powder coated.









### **EXAMINATION COUCH LH-5500**

- · Size: 1830 L x 510 W x 810 H mm.
- · Constructed from CRCA sheet adjustable head section on gas spring.
- · Top in upholstered and covered with washable plastic material.
- · Three drawers and three cabinets with separate door at bottom.
- · One foot rest inbuilt.
- · Finish in epoxy powder coated.



## **GYNAE EXAMINATION COUCH LH-5505**

- · Size: 1830 L x 510 W x 810 H mm.
- · Constructed from CRCA sheet adjustable head section on gas spring.
- · Top in upholstered and covered with washable plastic material.
- · Three drawers and three cabinets with separate door at bottom.
- · Leg end consisting of U cut with removable basin and lithotomy rods with strip.
- · Finish in epoxy powder coated.









- · Size: 1830 L x 560 W x 810 H mm.
- · MS sheet top in three sections.
- · Head and leg section adjustable on ratchet.
- · Middle section consisting of U cut.
- · Finish in epoxy powder coated.



## **EXAMINATION-CUM-GYNAEC TABLE LH-5701**

- · Size: 1830 L x 600 W x 810 H mm.
- · Top of double bent MS sheet in two sections.
- · The head flap adjustable on rack.
- $\cdot$   $\;$  Leg end consisting of U cut with removable basin and lithotomy rods with strip.
- · Finish in epoxy powder coated.









## **EXAMINATION TABLE LH-5700**

- · Size: 1830 L x 510 W x 810 H mm.
- · Machine pressed double bent MS sheet top in two sections.
- · Head flap adjustable on ratchet.
- · Finish in epoxy powder coated.



## **EXAMINATION TABLE LH-5705**

- · Size: 1830 L x 510 W x 810 H mm.
- $\cdot \hspace{0.1in}$  Machine pressed double bent SS sheet top in two sections.
- · Head flap adjustable on ratchet.
- · Dull Finish.











## **EMERGENCY PATIENT TRANSFER TROLLEY LH-5800**

- · The panel made of special material which can be used for X-ray on back rest with cassette holder.
- · Two hydraulic pumps and modern hydraulic assistance system to make the trolley strong and beautiful.
- · Central control brake castors, one central director castor.
- · Back section is controlled by gas spring, foot rest controlled manually.
- · Provision for IV pole, 6cm thickness water proof mattress.
- · A pair of new design collapsible railing.
- · Dimensions: 2100 L x 760 W x 620-855 H mm.
- · Finish in epoxy powder coated.

#### **Five Function**

- · Angle of back section: 0-70(±5)°.
- · Angle of leg section: 0-70(±5)°.
- · Angle of height section: 550-840mm.
- · Angle of trendelenburg.
- · Reverse trendelenburg: 0-13 (±2)°.











## STRETCHER ON TROLLEY LH-6000

- · Size: 2030 L x 560 W x 820 H mm.
- · MS tubing framework of trolley.
- · Trolley mounted on 150 mm dia. swivel castors.
- · Removable stretcher of CRCA sheet supported on tubular frame.
- · Push handle at both end of stretcher.
- · Finish in epoxy powder coated.



### **STRETCHER ON TROLLEY LH-6001**

- · Size: 2030 L x 560 W x 820 H mm.
- · Stainless Steel tubing framework of trolley.
- · Trolley mounted on 150 mm dia. swivel castors.
- · Removable stretcher of SS sheet supported on tubular frame.
- · Push handle at both end of stretcher.
- · Dull finish.











## **EMERGENCY & RECOVERY TROLLEY LH-5900**

- · Size: 2100 L x 680 W x 650-850 H mm.
- Framework made of round & rectangular MS tubes mounted on heavy-duty castors of 12.5 cm dia with two brakes.
- Offers trendelenburg & reverse position with the help of gas spring and height adjustable by hydraulic pump fitted on one side of the trolley.
- Removable type Radio-lucent top in two section for obtaining backrest and fitted with a cassette holding tray underneath.
- Supplied with swing away type safety railing telescopic saline rod adjustable, steel storage tray and oxygen cylinder cage.
- · Finish in epoxy powder coated.



## EMERGENCY & RECOVERY TROLLEY LH-5901

- · Size: 2100 L x 680 W x 650-850 H mm.
- Framework made of round & rectangular SS tubes mounted on heavy-duty castors of 12.5 cm dia with two brakes.
- Offers trendelenburg & reverse position with the help of gas spring and height adjustable by MS hydraulic pump fitted on one side of the trolley.
- Removable type Radio-lucent top in two section for obtaining backrest and fitted with a cassette holding tray underneath.
- Supplied with swing away type safety railing telescopic saline rod adjustable, steel storage tray and oxygen cylinder cage.
- · Dull finish.











### **PATIENT TROLLEY LH-6002**

- · Size: 2030 L x 560 W x 820 H mm.
- · Stainless Steel tubing framework of trolley.
- · Trolley mounted on 150 mm dia. swivel castors with two brakes.
- · Fixed stretcher on plywood with padded form covered with Rexene.
- · Stretcher consisting of back rest.
- · Back rest adjustable on ratchet.
- · Provision of cylinder, SS Railing & IV rod.
- · Dull finish.



## **PATIENT TROLLEY LH-6003**

- · Size: 2030 L x 560 W x 820 H mm.
- · Mild Steel tubing framework of trolley.
- · Trolley mounted on 150 mm dia. swivel castors with two brakes.
- · Fixed stretcher on plywood with padded form covered with Rexene.
- · Stretcher consisting of back rest.
- · Back rest adjustable on ratchet.
- · Provision of cylinder, MS Railing & IV rod.
- · Finish in epoxy powder coated.









We also have turnkey solutions for entire health facility setup together with medical Gas pipe line system, modular operation theatre, OT Table and OT Lights of latest & best era at affordable cost a number of our tasks executed.









## SHIKHA SURGICALS

RISING TECHNOLOGY, DESIGN AND IDEAS

F-193, Sector-3, DSIIDC Bawana Industrial Area, Delhi - 110039 Tel.: 01143086344; Mobile No. - 9136583434 Email - info@shikhasurgical.com Website - www.shikhasurgical.com